

DECLARATION OF PERFORMANCE

Setseal 6

No.: DCBGST-CP06-CPR-2013

1. Unique identification code of the product-type:	Setseal 6
2. Type, batch or serial number or any other element allowing identification of the construction:	Batch number: See packaging of the product
3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:	Acrylic concrete curing membrane and sealer EN 13813 EN 1504-2
4. Manufacturer:	Don Construction Products Bulgaria EAD Prof. Cvetan Lazarov blv. 152 Sofia 1582, Bulgaria
5. Where applicable, name and contact address of the authorized representative:	Not Relevant (see 4)
6. System or systems of assessment and verification of constancy of performance of the construction product:	System 3, System 4
7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:	BDS EN 13813:2003 BDS EN 1504-2:2005 The notified University Construction Testing Laboratory issued a protocol for testing No 265-13 EN/12.11.2013, SM 188-15/12.08.2015
8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:	Not Relevant (see 7)



9. Declared Performance

Essential Characteristics	Performance	Harmonised technical specification
Capillary absorption and permeability to water	< 0,1 MPa for class R4	EN 1504-2:2005
Pull of in comparison with non impregnated specimen	≥ 1,0 horizontal without trafficking	
Drying rate coefficient	> 10 For class II	
Bond strength	≥ 1,5 For class B1,5	EN 13813:2003

10. Declaration

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.



Signed for and on behalf of the manufacturer by:

Sofia, Aug 12th 2015

Iliyan Iliev
Production Manager

